


SEMI-TRANSPARENT MIRROR

SEE WHAT'S IMPORTANT



THREE DIFFERENT TYPES AVAILABLE

Available with 36%, 52% or 64% elegant silver color reflection, which remains stable under various angles of viewing.

EXCEPTIONAL PERFORMANCE

It can change from being a mirror into a fully functional electronic display.

EASY TO PROCESS TO YOUR SPECIFICATIONS

Can be post-processed (cut, edge-worked, printed, temperable*) to meet the needs of your application.

HIGH DURABILITY AND LONG LIFETIME OF THE COATING

Suitable for outdoor use. Durability performance meets ISO standards.

EXCEPTIONAL CLEANABILITY AND SCRATCH-RESISTANCE

Can be easily cleaned with any appropriate commercially available cleaner. A proprietary top-coating improves scratch-resistance for processing and use.

*0 0 .	SEMI-TRANSPARENT	LUDDODI	OLLITH
"I Iniv Sannhira		MIDDIN	1 1 1 A A I I M
. OHRA DANNIHLE			



SAPPHIRE SEMI-TRANSPARENT MIRROR™ BY GROGLASS®

SAPPHIRE SEMI-TRANSPARENT MIRROR™ IS IDEAL FOR USE IN SPECIALLY DESIGNED DATA DISPLAYS, CONFERENCING, AUTOMOTIVE AND OTHER INDUSTRIES

PRODUCT DETAILS

	GLASS SUBSTRATE*	THICKNESS*,	SHEET SIZE, mm	COATED SIDES	LIGHT REFLECTION	LIGHT TRANSMISSION
SAPPHIRE SEMI-TRANSPARENT MIRROR LOW™	Low-iron (water white)	3-8	2250x3210	1 or 2**	36 ± 1%	63 ± 1%
SAPPHIRE SEMI-TRANSPARENT MIRROR MEDIUM™	Low-iron (water white)	3-8	2250x3210	1 or 2	52 ± 1%	47 ± 1%
SAPPHIRE SEMI-TRANSPARENT MIRROR HIGH™	Low-iron (water white)	3-8	2250x3210	2	64 ± 1%	35 ± 1%

^{*} For other glass substrates and thicknesses please contact us at sales@groglass.com

DURABILITY

- □ Abrasion Test ISO 9211
- ∇ Climate Cycling EN 1279-2
- ▼ Coating Adhesion ISO 9211

- **▽** UV and Condensation EN 1096-2
- ∇ Neutral Salt Spray EN 1096-2



 $Groglass^{\otimes}$ declares that $Sapphire^{TM}$ products comply with the essential requirements of the relevant EU health, safety and environmental protection legislation.

ABOUT US

Sapphire Semi-Transparent Mirror™ is manufactured by Groglass® - located in Riga, Latvia. Groglass® delivers anti-reflective glass to more than 40 countries for a wide range of applications, including lighting fixtures, high-end electronic displays, picture framing and luxury architectural solutions.

^{**} Temperable

Groglass SIA Katlakalna 4B, Riga LV-1073, Latvia T +371 67502910 F +371 67502911 sales@groglass.com

f Groglass
L @Groglass

in Groglass

www.groglass.com